

50HZ | PASLANMAZ DÖKÜM POMPA **STAINLESS** CASTING PUMPS





nemutlu®

POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

6"
50Hz

**STAINLESS
CASTING PUMP**

www.nemutlu.com.tr



WATERMOT®
Submersible Motors

NHD6

35-45-55-65 Series

SERIES	Q(m ³ /h)	Hm(m)	Max	
			n%	kW
NHD6-35	Q:18-48 m ³ /h	H:20-374 m	76	1,33
NHD6-45	Q:24-60 m ³ /h	H:26-350 m	78	1,44
NHD6-55	Q:36-72 m ³ /h	H:18-302 m	77	1,65
NHD6-65	Q:42-90 m ³ /h	H:4-234 m	78	2,20



SPECIFICATIONS

Delivery: up to 90 m³/h

Head: 374 m

Maximum pump diameter: 145mm

Maximum permissible quantity of suspended sand: 50 g/m³

Maximum efficiency: %78

Standard delivery outlet: Rp 3" for all versions (Rp 4" optional)

Nema option according to need

Outlet with pipe thread or flange

ADVANTAGES

WATERMOT manufactures its diffusers and impellers in its own investment casting factory

Superior efficiency

Longer life

Low plant and operating cost

Vertical and horizontal installation


Don't require maintenance for a long time

Hassle free spare parts supply

Environmentally friendly and recyclable



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD6-35/03	6"	5,5	4	1244	648	596	142	145	3"-4"	36	16	52
NHD6-35/04	6"	7,5	5,5	1374	677	697	142	145		44	20	64
NHD6-35/05	6"	10	7,5	1555	757	798	142	145		50	23	73
NHD6-35/06	6"	12,5	9,3	1696	797	899	142	145		54	27	81
NHD6-35/07	6"	12,5	9,3	1797	797	1000	142	145		54	30	84
NHD6-35/08	6"	15	11	1951	850	1101	142	145		60	33	93
NHD6-35/09	6"	17,5	13	2112	910	1202	142	145		64	37	101
NHD6-35/10	6"	20	15	2275	972	1303	142	145		70	40	110
NHD6-35/11	6"	20	15	2376	972	1404	142	145		70	44	114
NHD6-35/12	6"	25	18,5	2510	1005	1505	142	145		78	47	125
NHD6-35/13	6"	25	18,5	2611	1005	1606	142	145		78	51	129
NHD6-35/14	6"	30	22	2812	1105	1707	142	145		88	54	142
NHD6-35/15	6"	30	22	2913	1105	1808	142	145		88	58	146
NHD6-35/16	6"	30	22	3014	1105	1909	142	145		88	61	149
NHD6-35/17	6"	35	26,5	3226	1216	2010	142	145		98	64	162
NHD6-35/18	6"	35	26,5	3327	1216	2111	142	145		98	68	166
NHD6-35/19	6"	35	26,5	3428	1216	2212	142	145		98	71	169
NHD6-35/20	6"	40	30	3559	1246	2313	142	145		100	75	175
NHD6-35/21	6"	40	30	3660	1246	2414	142	145		100	78	178
NHD6-35/22	6"	40	30	3761	1246	2515	142	145		100	82	182
NHD6-35/23	6"	50	37	3962	1346	2616	142	145		114	85	199
NHD6-35/24	6"	50	37	4063	1346	2717	142	145		114	89	203
NHD6-35/25	6"	50	37	4164	1346	2818	142	145		114	92	206
NHD6-35/26	6"	50	37	4265	1346	2919	142	145		114	96	210
NHD6-35/27	6"	50	37	4366	1346	3020	142	145		114	99	213







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء							
	Type	KW	HP	m ³ /h	0	18	24	30	36	42	48
				lt/sn	0,00	5,00	6,67	8,33	10,00	11,67	13,33
NHD6-35/03	6"	4	5,5	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس حويية	42	37	35	33	30	25	20
NHD6-35/04	6"	5,5	7,5		55	49	47	44	39	34	27
NHD6-35/05	6"	7,5	10		69	62	59	55	49	42	33
NHD6-35/06	6"	9,3	12,5		83	74	71	66	59	51	40
NHD6-35/07	6"	9,3	12,5		97	86	82	77	69	59	46
NHD6-35/08	6"	11	15		111	99	94	88	79	68	53
NHD6-35/09	6"	13	17,5		125	111	106	99	89	76	60
NHD6-35/10	6"	15	20		139	123	118	110	98	84	66
NHD6-35/11	6"	15	20		153	136	130	121	108	93	73
NHD6-35/12	6"	18,5	25		166	148	141	132	118	101	80
NHD6-35/13	6"	18,5	25		180	160	153	142	128	110	86
NHD6-35/14	6"-7"-8"	22	30		194	172	165	153	138	118	93
NHD6-35/15	6"-7"-8"	22	30		208	185	177	164	148	127	100
NHD6-35/16	6"-7"-8"	22	30		222	197	188	175	157	135	106
NHD6-35/17	6"-7"-8"	26,5	35		236	209	200	186	167	144	113
NHD6-35/18	6"-7"-8"	26,5	35		250	222	212	197	177	152	120
NHD6-35/19	6"-7"-8"	26,5	35		264	234	224	208	187	161	126
NHD6-35/20	6"-7"-8"	30	40		277	246	236	219	197	169	133
NHD6-35/21	6"-7"-8"	30	40		291	259	247	230	207	177	139
NHD6-35/22	6"-7"-8"	30	40		305	271	259	241	216	186	146
NHD6-35/23	6"-7"-8"	37	50		319	283	271	252	226	194	153
NHD6-35/24	6"-7"-8"	37	50		333	296	283	263	236	203	159
NHD6-35/25	6"-7"-8"	37	50		347	308	295	274	246	211	166
NHD6-35/26	6"-7"-8"	37	50		361	320	306	285	256	220	173
NHD6-35/27	6"-7"-8"	37	50		374	333	318	296	266	228	179



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

6" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD6-35	3,4	3,4	3,8	8

NHD6 | 35 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD6-35	3,4	3,4	3,8	8



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD6-45/04	6"	7,5	5,5	1374	677	697	142	145	3"-4"	44	20	64
NHD6-45/05	6"	10	7,5	1555	757	798	142	145		50	23	73
NHD6-45/06	6"	12,5	9,3	1696	797	899	142	145		54	27	81
NHD6-45/07	6"	15	11	1850	850	1000	142	145		60	30	90
NHD6-45/08	6"	17,5	13	2011	910	1101	142	145		64	33	97
NHD6-45/09	6"	17,5	13	2112	910	1202	142	145		64	37	101
NHD6-45/10	6"	20	15	2275	972	1303	142	145		70	40	110
NHD6-45/11	6"	25	18,5	2409	1005	1404	142	145		78	44	122
NHD6-45/12	6"	25	18,5	2510	1005	1505	142	145		78	47	125
NHD6-45/13	6"	30	22	2711	1105	1606	142	145		88	51	139
NHD6-45/14	6"	30	22	2812	1105	1707	142	145		88	54	142
NHD6-45/15	6"	30	22	2913	1105	1808	142	145		88	58	146
NHD6-45/16	6"	35	26,5	3125	1216	1909	142	145		98	61	159
NHD6-45/17	6"	35	26,5	3226	1216	2010	142	145		98	64	162
NHD6-45/18	6"	35	26,5	3327	1216	2111	142	145		98	68	166
NHD6-45/19	6"	40	30	3458	1246	2212	142	145		100	71	171
NHD6-45/20	6"	40	30	3559	1246	2313	142	145		100	75	175
NHD6-45/21	6"	50	37	3760	1346	2414	142	145		114	78	192
NHD6-45/22	6"	50	37	3861	1346	2515	142	145		114	82	196
NHD6-45/23	6"	50	37	3962	1346	2616	142	145		114	85	199
NHD6-45/24	6"	50	37	4063	1346	2717	142	145		114	89	203
NHD6-45/25	6"	50	37	4164	1346	2818	142	145		114	92	206





Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء								
	Type	KW	HP	m ³ /h	0	24	30	36	42	48	54	60
				lt/sn	0	6,7	8,3	10	11,7	13,3	15	16,7
NHD6-45/04	6"	5,5	7,5	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رئيس حيوية	56	47	44	42	39	35	30	26
NHD6-45/05	6"	7,5	10		70	58	55	53	49	44	38	32
NHD6-45/06	6"	9,3	12,5		84	70	66	63	59	53	46	38
NHD6-45/07	6"	11	15		98	81	78	74	69	62	53	45
NHD6-45/08	6"	13	17,5		112	93	89	84	78	70	61	51
NHD6-45/09	6"	13	17,5		126	105	100	95	88	79	68	58
NHD6-45/10	6"	15	20		140	116	111	105	98	88	76	64
NHD6-45/11	6"	18,5	25		154	128	122	116	108	97	84	70
NHD6-45/12	6"	18,5	25		168	140	133	126	118	106	91	77
NHD6-45/13	6"-7"-8"	22	30		182	151	144	137	127	114	99	83
NHD6-45/14	6"-7"-8"	22	30		196	163	155	147	137	123	106	90
NHD6-45/15	6"-7"-8"	22	30		210	175	166	158	147	132	114	96
NHD6-45/16	6"-7"-8"	26,5	35		224	186	177	168	157	141	122	102
NHD6-45/17	6"-7"-8"	26,5	35		238	198	188	179	167	150	129	109
NHD6-45/18	6"-7"-8"	26,5	35		252	210	199	189	176	158	137	115
NHD6-45/19	6"-7"-8"	30	40		266	221	211	200	186	167	144	122
NHD6-45/20	6"-7"-8"	30	40		280	233	222	210	196	176	152	128
NHD6-45/21	6"-7"-8"	37	50		294	244	233	221	206	185	160	134
NHD6-45/22	6"-7"-8"	37	50		308	256	244	231	216	194	167	141
NHD6-45/23	6"-7"-8"	37	50		322	268	255	242	225	202	175	147
NHD6-45/24	6"-7"-8"	37	50		336	279	266	252	235	211	182	154
NHD6-45/25	6"-7"-8"	37	50		350	291	277	263	245	220	190	160



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

6" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD6-45	3,45	3,5	3,8	5

NHD6 45 Series



WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD6-45	3,45	3,5	3,8	5




nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

6" 50Hz

**STAINLESS
CASTING PUMP**

Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD6-55/03	6"	7,5	5,5	1291	677	614	142	145	3"-4"	44	19	63
NHD6-55/04	6"	10	7,5	1478	757	721	142	145		50	22	72
NHD6-55/05	6"	12,5	9,3	1625	797	828	142	145		54	26	80
NHD6-55/06	6"	15	11	1785	850	935	142	145		60	29	89
NHD6-55/07	6"	17,5	13	1952	910	1042	142	145		64	32	96
NHD6-55/08	6"	17,5	13	2059	910	1149	142	145		64	35	99
NHD6-55/09	6"	20	15	2228	972	1256	142	145		70	38	108
NHD6-55/10	6"	25	18,5	2368	1005	1363	142	145		78	41	119
NHD6-55/11	6"	25	18,5	2475	1005	1470	142	145		78	45	123
NHD6-55/12	6"	30	22	2682	1105	1577	142	145		88	49	137
NHD6-55/13	6"	30	22	2789	1105	1684	142	145		88	53	141
NHD6-55/14	6"	35	26,5	3007	1216	1791	142	145		98	56	154
NHD6-55/15	6"	35	26,5	3114	1216	1898	142	145		98	59	157
NHD6-55/16	6"	35	26,5	3221	1216	2005	142	145		98	61	159
NHD6-55/17	6"	40	30	3358	1246	2112	142	145		100	64	164
NHD6-55/18	6"	40	30	3465	1246	2219	142	145		100	67	167
NHD6-55/19	6"	50	37	3672	1346	2326	172	145		114	70	194
NHD6-55/20	6"	50	37	3779	1346	2433	172	145		114	74	198
NHD6-55/21	6"	50	37	3886	1346	2540	172	145		114	77	201
NHD6-55/22	6"	50	37	3993	1346	2647	172	145		114	82	206





Pompa Tipi Motor Type Type de Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء								
	Type	KW	HP	m ³ /h	0	36	42	48	54	60	66	72
				lt/sn	0	10	12	13,3	15	17	18,3	20
NHD6-55/03	6"	5,5	7,5	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رئيس حيوية	41	31	29	27	25	23	21	18
NHD6-55/04	6"	7,5	10		55	41	39	36	34	31	28	24
NHD6-55/05	6"	9,3	12,5		68	51	48	45	42	39	35	30
NHD6-55/06	6"	11	15		82	62	58	55	51	46	41	36
NHD6-55/07	6"	13	17,5		96	72	68	64	59	54	48	42
NHD6-55/08	6"	13	17,5		109	82	77	73	68	62	55	48
NHD6-55/09	6"	15	20		123	92	87	82	76	70	62	54
NHD6-55/10	6"	18,5	25		137	103	97	91	85	77	69	60
NHD6-55/11	6"	18,5	25		151	113	107	100	93	85	76	66
NHD6-55/12	6"-7"-8"	22	30		164	123	116	109	101	93	83	72
NHD6-55/13	6"-7"-8"	22	30		178	134	126	118	110	100	90	78
NHD6-55/14	6"-7"-8"	26,5	35		192	144	136	127	118	108	97	84
NHD6-55/15	6"-7"-8"	26,5	35		205	154	145	136	127	116	104	90
NHD6-55/16	6"-7"-8"	26,5	35		219	164	155	145	135	124	111	96
NHD6-55/17	6"-7"-8"	30	40		233	175	165	155	144	131	117	102
NHD6-55/18	6"-7"-8"	30	40		246	185	174	164	152	139	124	108
NHD6-55/19	6"-7"-8"	37	50		260	195	184	173	161	147	131	114
NHD6-55/20	6"-7"-8"	37	50		274	205	194	182	169	155	138	120
NHD6-55/21	6"-7"-8"	37	50		287	216	203	191	178	162	145	126
NHD6-55/22	6"-7"-8"	37	50		301	226	213	200	186	170	152	132



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

6" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD6-55	3,8	3,8	5,1	7,1

NHD6

55 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD6-55	3,8	3,8	5,1	7,1



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağ r l k Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağ r l k Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağ r l k Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD6-65/01	6"	5,5	4	1048	648	400	142	145	3"-4"	36	12	48
NHD6-65/02	6"	7,5	5,5	1184	677	507	142	145		44	15	59
NHD6-65/03	6"	10	7,5	1371	757	614	142	145		50	19	69
NHD6-65/04	6"	12,5	9,3	1518	797	721	142	145		54	23	77
NHD6-65/05	6"	17,5	13	1738	910	828	142	145		64	27	91
NHD6-65/06	6"	20	15	1907	972	935	142	145		70	32	102
NHD6-65/07	6"	25	18,5	2047	1005	1042	142	145		78	36	114
NHD6-65/08	6"	25	18,5	2154	1005	1149	142	145		78	40	118
NHD6-65/09	6"	30	22	2361	1105	1256	142	145		88	44	132
NHD6-65/10	6"	35	26,5	2579	1216	1363	142	145		98	48	146
NHD6-65/11	6"	35	26,5	2686	1216	1470	142	145		98	53	151
NHD6-65/12	6"	40	30	2823	1246	1577	142	145		100	57	157
NHD6-65/13	6"	40	30	2930	1246	1684	142	145		100	61	161
NHD6-65/14	6"	50	37	3137	1346	1791	142	145		114	65	179
NHD6-65/15	6"	50	37	3244	1346	1898	142	145		114	70	184
NHD6-65/16	8"	60	45	3195	1190	2005	191	142		154	75	229
NHD6-65/17	8"	60	45	3302	1190	2112	191	145		154	80	234
NHD6-65/18	8"	60	45	3409	1190	2219	191	145		154	85	239







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء										
	Type	KW	HP	m ³ /h	0	42	48	54	60	66	72	78	84	90
				lt/sn	0	12	13,3	15	17	18,3	20	21,7	23	25
NHD6-65/01	6"	4	5,5	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس ديناميكية	13	10	10	10	9	8	8	7	6	4
NHD6-65/02	6"	5,5	7,5		26	21	20	19	18	17	15	13	11	8
NHD6-65/03	6"	7,5	10		39	31	30	29	27	25	23	20	17	12
NHD6-65/04	6"	9,3	12,5		52	42	40	39	36	34	31	27	22	16
NHD6-65/05	6"	13	17,5		65	52	50	48	46	42	38	33	28	21
NHD6-65/06	6"	15	20		78	63	61	58	55	51	46	40	33	25
NHD6-65/07	6"	18,5	25		91	73	71	68	64	59	54	47	39	29
NHD6-65/08	6"	18,5	25		104	84	81	77	73	68	61	53	44	33
NHD6-65/09	6"-7"-8"	22	30		117	94	91	87	82	76	69	60	50	37
NHD6-65/10	6"-7"-8"	26,5	35		130	104	101	97	91	84	77	67	55	41
NHD6-65/11	6"-7"-8"	26,5	35		143	115	111	106	100	93	84	73	61	45
NHD6-65/12	6"-7"-8"	30	40		156	125	121	116	109	101	92	80	66	49
NHD6-65/13	6"-7"-8"	30	40		169	136	131	126	118	110	100	87	72	53
NHD6-65/14	6"-7"-8"	37	50		182	146	141	135	128	118	107	93	77	58
NHD6-65/15	6"-7"-8"	37	50		195	157	151	145	137	127	115	100	83	62
NHD6-65/16	7"-8"	45	60		208	167	161	155	146	135	123	107	88	66
NHD6-65/17	7"-8"	45	60		221	178	172	164	155	144	130	113	94	70
NHD6-65/18	7"-8"	45	60		234	188	182	174	164	152	138	120	99	74



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

6" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD6-65	3,8	3,8	5,1	7,1

NHD6 | 65 Series



WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD6-65	3,8	3,8	5,1	7,1



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

8"
50Hz

**STAINLESS
CASTING PUMP**

www.nemutlu.com.tr



WATERMOT®
Submersible Motors

NHD8

78-90-102-124-140
Series

SERIES	Q(m ³ /h)	Hm(m)	Max	
			n%	kW
NHD8-78	Q:50-90 m ³ /h	H:14-694 m	77	5,75
NHD8-90	Q:48-120 m ³ /h	H:8-694 m	75	6,47
NHD8-102	Q:60-130 m ³ /h	H:14-663 m	77	7,20
NHD8-124	Q:72-168 m ³ /h	H:7-664 m	79	8,40
NHD8-140	Q:96-192 m ³ /h	H:11-551 m	80	9,40



SPECIFICATIONS

Delivery: up to 192 m³/h

Head: 694 m

Maximum pump diameter: 198 mm

Maximum permissible quantity of suspended sand: 50 g/m³

Maximum efficiency: %80

Standard delivery outlet: Rp 5" for all versions

Nema option according to need

Outlet with pipe thread or flange

ADVANTAGES

WATERMOT manufactures its diffusers and impellers in its own investment casting factory

Superior efficiency

Longer life

Low plant and operating cost

Vertical and horizontal installation


Don't require maintenance for a long time

Hassle free spare parts supply

Environmentally friendly and recyclable



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD8-78/01	6"	10	7,5	1270	757	513	142	197	5"	50	24	74
NHD8-78/02	6"	15	11	1488	850	638	142	197		60	32	92
NHD8-78/03	6"	25	18,5	1768	1005	763	142	197		78	40	118
NHD8-78/04	8"	35	26,5	1923	1035	888	191	197		126	48	174
NHD8-78/05	8"	40	30	2058	1045	1013	191	197		130	56	186
NHD8-78/06	8"	50	37	2262	1105	1157	191	197		138	65	203
NHD8-78/07	8"	60	45	2472	1190	1282	191	197		154	73	227
NHD8-78/08	8"	75	55	2682	1275	1407	191	197		172	81	253
NHD8-78/09	8"	75	55	2807	1275	1532	191	197		172	89	261
NHD8-78/10	8"	90	67	3012	1355	1657	191	197		188	97	285
NHD8-78/11	8"	90	67	3137	1355	1782	191	197		188	105	293
NHD8-78/12	8"	100	75	3287	1380	1907	191	197		196	113	309
NHD8-78/13	8"	100	75	3412	1380	2032	191	197		196	120	316
NHD8-78/14	8"	110	81	3617	1460	2157	191	197		212	128	350
NHD8-78/15	8"	125	92	3807	1525	2282	191	197		222	136	358
NHD8-78/16	8"	125	92	3932	1525	2407	191	197		222	144	366
NHD8-78/17	8"	150	110	4162	1630	2532	191	197		246	152	398
NHD8-78/18	8"	150	110	4287	1630	2657	191	197		246	160	406
NHD8-78/19	8"	150	110	4412	1630	2782	191	197		246	168	414
NHD8-78/20	10"	175	129	4517	1610	2907	231	197		334	176	510
NHD8-78/21	10"	175	129	4642	1610	3032	231	197		334	184	518
NHD8-78/22	10"	175	129	4767	1610	3157	231	197		334	192	526
NHD8-78/23	10"	200	147	5022	1740	3282	231	197		370	199	569
NHD8-78/24	10"	200	147	5147	1740	3407	231	197		370	207	577
NHD8-78/25	10"	200	147	5272	1740	3532	231	197		370	215	585







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء							
	Type	KW	HP	m ³ /h	0	50	60	70	78	80	90
				lt/sn	0	13,9	17	19,4	21,7	22	25
NHD8-78/01	6"	7,5	10	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس ديناميكية	28	23	22	20	18	17	14
NHD8-78/02	6"	11	15		56	46	43	39	35	34	28
NHD8-78/03	6"	18,5	25		83	68	65	59	53	51	42
NHD8-78/04	6"-7"-8"	26,5	35		111	91	87	78	70	68	56
NHD8-78/05	6"-7"-8"	30	40		139	114	108	98	88	85	70
NHD8-78/06	6"-7"-8"	37	50		167	137	130	117	106	102	84
NHD8-78/07	7"-8"	45	60		194	159	151	137	123	119	98
NHD8-78/08	7"-8"	55	75		222	182	173	157	141	136	112
NHD8-78/09	7"-8"	55	75		250	205	195	176	158	153	126
NHD8-78/10	7"-8"	67	90		278	228	216	196	176	170	140
NHD8-78/11	7"-8"	67	90		305	250	238	215	193	187	154
NHD8-78/12	8"-10"	75	100		333	273	260	235	211	204	168
NHD8-78/13	8"-10"	75	100		361	296	281	255	229	221	182
NHD8-78/14	8"-10"	81	110		389	319	303	274	246	238	196
NHD8-78/15	8"-10"	92	125		416	341	325	294	264	255	210
NHD8-78/16	8"-10"	92	125		444	364	346	313	281	272	224
NHD8-78/17	8"-10"	110	150		472	387	368	333	299	289	238
NHD8-78/18	8"-10"	110	150		500	410	390	352	317	306	252
NHD8-78/19	8"-10"	110	150		527	432	411	372	334	323	266
NHD8-78/20	10"	129	175		555	455	433	392	352	340	280
NHD8-78/21	10"	129	175		583	478	454	411	369	357	294
NHD8-78/22	10"	129	175		611	501	476	431	387	374	308
NHD8-78/23	10"	147	200		638	523	498	450	405	391	322
NHD8-78/24	10"	147	200		666	546	519	470	422	408	336
NHD8-78/25	10"	147	200		694	569	541	490	440	425	350



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

8"
50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD8-78	3	3	3,5	4,5

NHD8 | 78 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD8-78	3	3	3,5	4,5



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD8-90/01	6"	10	7,5	1270	757	513	142	197		50	24	74
NHD8-90/02	6"	17,5	13	1548	910	638	142	197		64	31	95
NHD8-90/03	8"	30	22	1753	990	763	191	197		122	39	161
NHD8-90/04	8"	35	26,5	1923	1035	888	191	197		126	46	172
NHD8-90/05	8"	50	37	2118	1105	1013	191	197		138	54	192
NHD8-90/06	8"	60	45	2347	1190	1157	191	197		154	63	217
NHD8-90/07	8"	60	45	2472	1190	1282	191	197		154	71	225
NHD8-90/08	8"	75	55	2682	1275	1407	191	197		172	79	251
NHD8-90/09	8"	90	67	2887	1355	1532	191	197		188	86	274
NHD8-90/10	8"	90	67	3012	1355	1657	191	197		188	94	282
NHD8-90/11	8"	100	75	3162	1380	1782	191	197		196	101	297
NHD8-90/12	8"	110	81	3367	1460	1907	191	197		212	109	321
NHD8-90/13	8"	125	92	3557	1525	2032	191	197		222	117	339
NHD8-90/14	8"	125	92	3682	1525	2157	191	197		222	124	346
NHD8-90/15	8"	150	110	3912	1630	2282	191	197		246	132	378
NHD8-90/16	8"	150	110	4037	1630	2407	191	197		246	139	385
NHD8-90/17	8"	150	110	4162	1630	2532	191	197		246	147	393
NHD8-90/18	10"	175	129	4267	1610	2657	231	197		334	155	489
NHD8-90/19	10"	175	129	4392	1610	2782	231	197		334	162	496
NHD8-90/20	10"	200	147	4647	1740	2907	231	197		370	170	540
NHD8-90/21	10"	200	147	4772	1740	3032	231	197		370	177	547
NHD8-90/22	10"	200	147	4897	1740	3157	231	197		370	185	555
NHD8-90/23	10"	225	166	5102	1820	3282	231	197		394	193	587
NHD8-90/24	10"	225	166	5227	1820	3407	231	197		394	200	594
NHD8-90/25	10"	225	166	5352	1820	3532	231	197		394	208	602







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء								
	Type	KW	HP	m ³ /h	0	48	60	72	84	96	108	120
				lt/sn	0	13,3	17	20	23,3	27	30	33,3
NHD8-90/01	6"	7,5	10	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رئيس حيوية	28	23	22	21	19	16	13	8
NHD8-90/02	6"	13	17,5		56	46	44	41	38	32	25	16
NHD8-90/03	6"-7"-8"	22	30		83	69	66	62	56	48	38	23
NHD8-90/04	6"-7"-8"	26,5	35		111	92	87	82	75	64	50	31
NHD8-90/05	6"-7"-8"	37	50		139	115	109	103	94	80	63	39
NHD8-90/06	7"-8"	45	60		167	138	131	123	113	96	75	47
NHD8-90/07	7"-8"	45	60		194	161	153	144	131	112	88	54
NHD8-90/08	7"-8"	55	75		222	184	175	164	150	128	100	62
NHD8-90/09	7"-8"	67	90		250	207	197	185	169	144	113	70
NHD8-90/10	7"-8"	67	90		278	230	219	205	188	160	125	78
NHD8-90/11	8"-10"	75	100		305	253	240	226	206	176	138	86
NHD8-90/12	8"-10"	81	110		333	276	262	246	225	192	150	93
NHD8-90/13	8"-10"	92	125		361	299	284	267	244	208	163	101
NHD8-90/14	8"-10"	92	125		389	322	306	287	263	224	176	109
NHD8-90/15	8"-10"	110	150		417	345	328	308	282	240	188	117
NHD8-90/16	8"-10"	110	150		444	368	350	329	300	256	201	124
NHD8-90/17	8"-10"	110	150		472	391	371	349	319	272	213	132
NHD8-90/18	10"	129	175		500	414	393	370	338	288	226	140
NHD8-90/19	10"	129	175		528	437	415	390	357	304	238	148
NHD8-90/20	10"	147	200		555	460	437	411	375	320	251	156
NHD8-90/21	10"	147	200		583	483	459	431	394	336	263	163
NHD8-90/22	10"	147	200		611	506	481	452	413	352	276	171
NHD8-90/23	10"	166	225		639	529	503	472	432	368	288	179
NHD8-90/24	10"	166	225		666	552	524	493	450	384	301	187
NHD8-90/25	10"	166	225		694	575	546	513	469	400	314	194



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

8"
50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD8-90	2,5	2,9	3,9	7,8

NHD8 90 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD8-90	2,5	2,9	3,9	7,8



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD8-102/01	6"	10	7,5	1270	757	513	142	197	5"	50	24	74
NHD8-102/02	6"	20	15	1610	972	638	142	197		70	32	102
NHD8-102/03	8"	30	22	1753	990	763	191	197		122	40	162
NHD8-102/04	8"	40	30	1933	1045	888	191	197		130	47	177
NHD8-102/05	8"	50	37	2137	1105	1032	191	197		138	57	195
NHD8-102/06	8"	60	45	2347	1190	1157	191	197		154	65	219
NHD8-102/07	8"	70	52	2557	1275	1282	191	197		169	73	242
NHD8-102/08	8"	80	60	2737	1330	1407	191	197		178	81	259
NHD8-102/09	8"	90	67	2887	1355	1532	191	197		188	88	276
NHD8-102/10	8"	100	75	3037	1380	1657	191	197		196	96	292
NHD8-102/11	8"	110	81	3242	1460	1782	191	197		212	104	316
NHD8-102/12	8"	125	92	3432	1525	1907	191	197		222	112	334
NHD8-102/13	8"	150	110	3662	1630	2032	191	197		246	120	366
NHD8-102/14	8"	150	110	3787	1630	2157	191	197		246	128	374
NHD8-102/15	8"	150	110	3912	1630	2282	191	197		246	136	382
NHD8-102/16	10"	175	129	4017	1610	2407	231	197		334	143	477
NHD8-102/17	10"	175	129	4142	1610	2532	231	197		334	151	485
NHD8-102/18	10"	175	129	4267	1610	2657	231	197		334	159	493
NHD8-102/19	10"	200	147	4522	1740	2782	231	197		370	167	537
NHD8-102/20	10"	200	147	4647	1740	2907	231	197		370	175	545
NHD8-102/21	10"	225	166	4852	1820	3032	231	197		394	183	577
NHD8-102/22	10"	225	166	4977	1820	3157	231	197		394	190	584
NHD8-102/23	10"	250	185	5102	1820	3282	231	197		408	198	606
NHD8-102/24	10"	250	185	5227	1820	3407	231	197		408	206	614
NHD8-102/25	10"	250	185	5352	1820	3532	231	197		408	214	622





Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء										
	Type	KW	HP	m ³ /h	0	60	70	80	90	100	105	110	120	130
				lt/sn	0	16,7	19	22,2	25	28	29,2	30,6	33,3	36
NHD8-102/01	6"	7,5	10	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس ديناميكية	27	22	22	21	20	19	19	18	16	14
NHD8-102/02	6"	15	20		53	45	43	42	40	39	38	36	32	27
NHD8-102/03	6"-7"-8"	22	30		80	67	65	63	60	58	56	54	48	41
NHD8-102/04	6"-7"-8"	30	40		106	89	86	83	80	77	75	72	64	54
NHD8-102/05	6"-7"-8"	37	50		133	112	108	104	101	97	94	91	81	68
NHD8-102/06	7"-8"	45	60		159	134	130	125	121	116	113	109	97	82
NHD8-102/07	7"-8"	52	70		186	156	151	146	141	135	132	127	113	95
NHD8-102/08	7"-8"	60	80		212	178	173	167	161	154	150	145	129	109
NHD8-102/09	7"-8"	67	90		239	201	194	188	181	174	169	163	145	122
NHD8-102/10	8"-10"	75	100		265	223	216	209	201	193	188	181	161	136
NHD8-102/11	8"-10"	81	110		292	245	238	229	221	212	207	199	177	150
NHD8-102/12	8"-10"	92	125		318	268	259	250	241	232	226	217	193	163
NHD8-102/13	8"-10"	110	150		345	290	281	271	261	251	244	235	209	177
NHD8-102/14	8"-10"	110	150		371	312	302	292	281	270	263	253	225	190
NHD8-102/15	8"-10"	110	150		398	335	324	313	302	290	282	272	242	204
NHD8-102/16	10"	129	175		424	357	346	334	322	309	301	290	258	218
NHD8-102/17	10"	129	175		451	379	367	354	342	328	320	308	274	231
NHD8-102/18	10"	129	175		477	401	389	375	362	347	338	326	290	245
NHD8-102/19	10"	147	200		504	424	410	396	382	367	357	344	306	258
NHD8-102/20	10"	147	200		530	446	432	417	402	386	376	362	322	272
NHD8-102/21	10"	166	225		557	468	454	438	422	405	395	380	338	286
NHD8-102/22	10"	166	225		583	491	475	459	442	425	414	398	354	299
NHD8-102/23	10"	185	250		610	513	497	480	462	444	432	416	370	313
NHD8-102/24	10"	185	250		636	535	518	500	482	463	451	434	386	326
NHD8-102/25	10"	185	250		663	558	540	521	503	483	470	453	403	340



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

8"
50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD8-102	2,5	2,9	3,9	7,8

NHD8 | 102 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD8-102	2,5	2,9	3,9	7,8



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD8-124/01	6"	12,5	9,3	1310	797	513	142	197	ن	54	24	78
NHD8-124/02	6"	25	18,5	1643	1005	638	142	197		78	32	110
NHD8-124/03	8"	35	26,5	1798	1035	763	191	197		126	39	165
NHD8-124/04	8"	50	37	1993	1105	888	191	197		138	47	185
NHD8-124/05	8"	60	45	2222	1190	1032	191	197		154	57	211
NHD8-124/06	8"	75	55	2432	1275	1157	191	197		172	64	236
NHD8-124/07	8"	80	60	2612	1330	1282	191	197		178	72	250
NHD8-124/08	8"	90	67	2762	1355	1407	191	197		188	80	268
NHD8-124/09	8"	100	75	2912	1380	1532	191	197		196	88	284
NHD8-124/10	8"	125	92	3182	1525	1657	191	197		222	95	317
NHD8-124/11	8"	125	92	3307	1525	1782	191	197		222	103	325
NHD8-124/12	8"	150	150	3537	1630	1907	191	197		246	111	357
NHD8-124/13	8"	150	110	3662	1630	2032	191	197		246	119	365
NHD8-124/14	10"	175	129	3767	1610	2157	231	197		334	126	460
NHD8-124/15	10"	175	129	3892	1610	2282	231	197		334	134	468
NHD8-124/16	10"	200	147	4147	1740	2407	231	197		370	142	512
NHD8-124/17	10"	200	147	4272	1740	2532	231	197		370	150	520
NHD8-124/18	10"	225	166	4477	1820	2657	231	197		394	157	551
NHD8-124/19	10"	225	166	4602	1820	2782	231	197		394	165	559
NHD8-124/20	10"	250	185	4727	1820	2907	231	197		408	173	581
NHD8-124/21	10"	250	185	4852	1820	3032	231	197		408	181	589
NHD8-124/22	10"	250	185	4977	1820	3157	231	197		408	188	596
NHD8-124/23	10"	300	225	5135	1853	3282	231	197		445	196	641
NHD8-124/24	10"	300	225	5260	1853	3407	231	197		445	204	649
NHD8-124/25	10"	300	225	5385	1853	3532	231	197		445	212	657





Pompa Tipi Motor Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء										
				m ³ /h	0	72	84	96	108	120	132	144	156	168
	Type	KW	HP	lt/sn	0	20	23	26,7	30	33	36,7	40	43,3	47
NHD8-124/01	6"	9,3	12,5	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس ديناميكية	26	22	21	20	19	18	16	13	10	7
NHD8-124/02	6"	18,5	25		52	43	42	40	38	35	32	26	20	13
NHD8-124/03	6"-7"-8"	26,5	35		77	65	62	60	57	53	47	39	30	20
NHD8-124/04	6"-7"-8"	37	50		103	86	83	80	76	71	63	52	40	26
NHD8-124/05	7"-8"	45	60		129	108	104	100	95	88	79	65	50	33
NHD8-124/06	7"-8"	55	75		155	129	125	120	114	106	95	78	60	40
NHD8-124/07	7"-8"	60	80		180	151	145	139	133	124	110	92	70	46
NHD8-124/08	7"-8"	67	90		206	172	166	159	152	142	126	105	80	53
NHD8-124/09	8"-10"	75	100		232	194	187	179	171	159	142	118	90	60
NHD8-124/10	8"-10"	92	125		258	215	208	199	190	177	158	131	100	66
NHD8-124/11	8"-10"	92	125		283	237	228	219	209	195	173	144	110	73
NHD8-124/12	8"-10"	110	150		309	258	249	239	228	212	189	157	120	79
NHD8-124/13	8"-10"	110	150		335	280	270	259	247	230	205	170	130	86
NHD8-124/14	10"	129	175		361	302	291	279	266	248	221	183	140	93
NHD8-124/15	10"	129	175		387	323	312	299	285	265	237	196	150	99
NHD8-124/16	10"	147	200		412	345	332	319	304	283	252	209	160	106
NHD8-124/17	10"	147	200		438	366	353	339	323	301	268	222	170	113
NHD8-124/18	10"	166	225		464	388	374	359	342	318	284	235	180	119
NHD8-124/19	10"	166	225		490	409	395	378	361	336	300	249	190	126
NHD8-124/20	10"	185	250		515	431	415	398	380	354	315	262	200	132
NHD8-124/21	10"	185	250		541	452	436	418	399	371	331	275	210	139
NHD8-124/22	10"	185	250		567	474	457	438	418	389	347	288	220	146
NHD8-124/23	10"	225	300		593	495	478	458	437	407	363	301	230	152
NHD8-124/24	10"	225	300		618	517	498	478	456	425	378	314	240	159
NHD8-124/25	10"	225	300		644	539	519	498	475	442	394	327	250	166



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

8"
50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD8-124	2,5	3	3,5	8,7

NHD8 | 124 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD8-124	2,5	3	3,5	8,7



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD8-140/01	6"	12,5	9,3	1335	797	538	142	197	م	54	25	79
NHD8-140/02-W10	6"	17,5	13	1598	910	688	142	197		64	34	98
NHD8-140/02-W5	6"	20	15	1660	972	688	142	197		70	34	104
NHD8-140/02	6"	25	18,5	1693	1005	688	142	197		78	34	112
NHD8-140/03-W10	8"	30	22	1828	990	838	191	197		122	43	165
NHD8-140/03	8"	40	30	1883	1045	838	191	197		130	43	173
NHD8-140/04-W5	8"	40	30	2033	1045	988	191	197		130	52	182
NHD8-140/04	8"	50	37	2093	1105	988	191	197		138	52	190
NHD8-140/05	8"	75	55	2413	1275	1138	191	197		172	61	233
NHD8-140/06	8"	75	55	2563	1275	1288	191	197		172	61	233
NHD8-140/07	8"	90	67	2812	1355	1457	191	197		188	80	268
NHD8-140/08	8"	100	75	2987	1380	1607	191	197		196	89	285
NHD8-140/09	8"	125	92	3282	1525	1757	191	197		222	98	320
NHD8-140/10	8"	150	110	3537	1630	1907	191	197		246	107	353
NHD8-140/11	8"	150	110	3687	1630	2057	191	197		246	116	362
NHD8-140/12	8"	150	110	3837	1630	2207	191	197		246	125	371
NHD8-140/13	10"	175	129	3967	1610	2357	231	197		334	134	468
NHD8-140/14	10"	200	147	4247	1740	2507	231	197		370	143	513
NHD8-140/15	10"	200	147	4397	1740	2657	231	197		370	152	522
NHD8-140/16	10"	225	166	4627	1820	2807	231	197		394	161	555
NHD8-140/17	10"	225	166	4777	1820	2957	231	197		394	170	564
NHD8-140/18	10"	250	185	4927	1820	3107	231	197	408	179	587	
NHD8-140/19	10"	250	185	5077	1820	3257	231	197	408	188	596	
NHD8-140/20	10"	300	225	5260	1853	3407	231	197	445	197	642	
NHD8-140/21	10"	300	225	5410	1853	3557	231	197	445	206	651	







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء										
	Type	KW	HP	m ³ /h	0	96	108	120	132	144	156	168	180	192
				lt/sn	0	26,7	30	33,3	36,7	40	43,3	46,7	50	53,3
NHD8-140/01	6"	9,3	12,5	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس حيوية	26	21	20	19	18	17	16	14	13	11
NHD8-140/02-W10	6"	13	17,5		42	34	33	32	31	29	26	23	19	15
NHD8-140/02-W5	6"	15	20		50	39	38	36	34	32	29	26	22	18
NHD8-140/02	6"	18,5	25		52	42	40	38	36	34	32	28	25	21
NHD8-140/03-W10	6"-7"-8"	22	30		68	55	53	51	49	46	43	39	33	27
NHD8-140/03	6"-7"-8"	30	40		79	62	60	57	54	51	47	43	38	32
NHD8-140/04-W5	6"-7"-8"	30	40		93	74	72	69	66	62	57	51	45	37
NHD8-140/04	6"-7"-8"	37	50		105	83	80	76	72	68	63	57	50	42
NHD8-140/05	7"-8"	55	75		131	104	100	96	91	85	79	71	63	53
NHD8-140/06	7"-8"	55	75		157	125	120	115	109	102	95	85	75	63
NHD8-140/07	7"-8"	67	90		184	145	140	134	127	119	110	100	88	74
NHD8-140/08	8"-10"	75	100		210	166	160	153	145	136	126	114	100	84
NHD8-140/09	8"-10"	92	125		236	187	180	172	163	153	142	128	113	95
NHD8-140/10	8"-10"	110	150		262	208	200	191	181	170	158	142	125	105
NHD8-140/11	8"-10"	110	150		289	228	220	210	199	187	173	157	138	116
NHD8-140/12	8"-10"	110	150		315	249	240	229	217	204	189	171	150	126
NHD8-140/13	10"	129	175		341	270	260	248	235	221	205	185	163	137
NHD8-140/14	10"	147	200		367	291	280	267	253	238	221	199	175	147
NHD8-140/15	10"	147	200		394	311	300	287	272	255	236	214	188	158
NHD8-140/16	10"	166	225		420	332	320	306	290	272	252	228	200	168
NHD8-140/17	10"	166	225		446	353	340	325	308	289	268	242	213	179
NHD8-140/18	10"	185	250		472	374	360	344	326	306	284	256	225	189
NHD8-140/19	10"	185	250		499	394	380	363	344	323	299	271	238	200
NHD8-140/20	10"	225	300		525	415	400	382	362	340	315	285	250	210
NHD8-140/21	10"	225	300		551	436	420	401	380	357	331	299	263	221



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

8"
50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD8-140	4	4,5	7	13

NHD8 | 140 Series



WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD8-140	4	4,5	7	13



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

10" 50Hz

STAINLESS
CASTING PUMP

www.nemutlu.com.tr



WATERMOT®
Submersible Motors

NHD10

200-220-240-280 Series

SERIES	Q(m ³ /h)	Hm(m)	Max	
			n%	kW
NHD10-200	Q:108-240 m ³ /h	H:11-493 m	77	20,9
NHD10-220	Q:135-275 m ³ /h	H:15-473 m	81	22,9
NHD10-240	Q:144-312 m ³ /h	H:18-390 m	80	27,5
NHD10-280	Q:180-348 m ³ /h	H:16-316 m	78	33,3



SPECIFICATIONS

Delivery: up to 348 m³/h

Head: 493 m

Maximum pump diameter: 250 mm

Maximum permissible quantity of suspended sand: 50 g/m³

Maximum efficiency: %81

Standard delivery outlet: Rp 6" for all versions

Nema option according to need

Outlet with pipe thread or flange

ADVANTAGES

WATERMOT manufactures its diffusers and impellers in its own investment casting factory

Superior efficiency

Longer life

Low plant and operating cost

Vertical and horizontal installation


Don't require maintenance for a long time

Hassle free spare parts supply

Environmentally friendly and recyclable



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD10-200/01-W10	6"	25	18,5	1642	1005	637	142	250		78	47	125
NHD10-200/01-W5	6"	25	18,5	1642	1005	637	142	250		78	47	125
NHD10-200/01	8"	30	22	1627	990	637	191	250		122	47	169
NHD10-200/02-W10	8"	50	37	1924	1105	819	191	250		138	63	201
NHD10-200/02-W5	8"	50	37	1924	1105	819	191	250		138	63	201
NHD10-200/02	8"	60	45	2009	1190	819	191	250		154	63	217
NHD10-200/03-W10	8"	75	55	2276	1275	1001	191	250		172	80	252
NHD10-200/03-W5	8"	75	55	2276	1275	1001	191	250		172	80	252
NHD10-200/03	8"	90	67	2356	1355	1001	191	250		188	80	268
NHD10-200/04-W10	8"	90	67	2538	1355	1183	191	250		188	96	284
NHD10-200/04-W5	10"	100	75	2541	1330	1211	231	250		252	101	353
NHD10-200/04	10"	125	92	2641	1430	1211	231	250		280	101	381
NHD10-200/05-W10	10"	125	92	2823	1430	1393	231	250		280	117	397
NHD10-200/05-W5	10"	125	92	2823	1430	1393	231	250		280	117	397
NHD10-200/05	10"	150	110	2923	1530	1393	231	250	50	304	117	421
NHD10-200/06-W10	10"	150	110	3105	1530	1575	231	250		304	133	437
NHD10-200/06-W5	10"	150	110	3105	1530	1575	231	250		304	133	437
NHD10-200/06	10"	175	129	3185	1610	1575	231	250		334	133	467
NHD10-200/07-W10	10"	150	110	3287	1530	1757	231	250		304	150	454
NHD10-200/07-W5	10"	175	129	3367	1610	1757	231	250		334	150	484
NHD10-200/07	10"	200	147	3497	1740	1757	231	250		370	150	520
NHD10-200/08-W5	10"	200	147	3679	1740	1939	231	250		370	166	536
NHD10-200/08	10"	225	166	3759	1820	1939	231	250		394	166	560
NHD10-200/09-W5	10"	225	166	3941	1820	2121	231	250		394	182	576
NHD10-200/09	10"	250	185	3941	1820	2121	231	250		408	182	590
NHD10-200/10-W5	10"	250	185	4123	1820	2303	231	250		408	199	607
NHD10-200/10	10"	300	225	4156	1853	2303	231	250		445	199	644
NHD10-200/11	10"	350	262	4338	1853	2485	231	250		445	215	660
NHD10-200/12	10"	350	262	4520	1853	2667	231	250		445	231	676







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء								
	Type	KW	HP	m ³ /h	0	108	132	156	180	204	228	240
				lt/sn	0	30	36,7	43,3	50	56,7	63,3	66,7
NHD10-200/01-W10	6"	18,5	25	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس ديناميكية	35	31	30	27	23	19	13	11
NHD10-200/01-W5	6"	18,5	25		39	36	35	33	30	26	22	19
NHD10-200/01	6"-7"-8"	22	30		43	39	38	36	33	29	25	22
NHD10-200/02-W10	6"-7"-8"	37	50		71	62	60	55	47	37	27	21
NHD10-200/02-W5	6"-7"-8"	37	50		76	71	68	62	56	49	41	37
NHD10-200/02	7"-8"	45	60		83	77	74	69	63	56	48	44
NHD10-200/03-W10	7"-8"	55	75		106	94	90	82	70	56	40	32
NHD10-200/03-W5	7"-8"	55	75		114	105	100	92	83	73	60	53
NHD10-200/03	7"-8"	67	90		124	115	110	102	93	83	71	64
NHD10-200/04-W10	7"-8"	67	90		141	125	119	109	93	75	54	42
NHD10-200/04-W5	8"-10"	75	100		151	139	133	123	110	96	79	70
NHD10-200/04	8"-10"	92	125		165	152	146	135	123	110	93	85
NHD10-200/05-W10	8"-10"	92	125		176	156	149	136	116	94	67	53
NHD10-200/05-W5	8"-10"	92	125		188	173	166	152	137	120	99	87
NHD10-200/05	8"-10"	110	150		206	190	182	169	154	137	117	106
NHD10-200/06-W10	8"-10"	110	150		212	187	179	164	140	112	81	63
NHD10-200/06-W5	8"-10"	110	150		225	207	198	182	164	143	119	104
NHD10-200/06	10"	129	175		247	227	218	202	184	165	139	127
NHD10-200/07-W10	8"-10"	110	150		247	219	209	191	163	131	94	74
NHD10-200/07-W5	10"	129	175		263	241	230	213	191	167	137	121
NHD10-200/07	10"	147	200		287	266	254	235	215	191	163	148
NHD10-200/08-W5	10	147	200		300	275	263	242	218	190	157	138
NHD10-200/08	10"	166	225		328	303	290	269	245	219	185	169
NHD10-200/09-W5	10"	166	225		337	310	296	272	245	214	176	155
NHD10-200/09	10"	185	250		369	341	326	302	275	246	209	190
NHD10-200/10-W5	10"	185	250		374	344	329	303	272	237	196	172
NHD10-200/10	10"	225	300		411	378	363	336	307	273	231	211
NHD10-200/11	10"	262	350		452	417	399	369	337	301	255	233
NHD10-200/12	10"	262	350		493	455	435	403	368	328	278	254



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

10" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD10-200	3,4	5	7,8	11,8

NHD10 | 200 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD10-200	3,4	5	7,8	11,8



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD10-220/01-W8	6"	25	18,5	1642	1005	637	142	250	٢٠	78	47	125
NHD10-220/01-W5	8"	30	22	1627	990	637	191	250		122	47	169
NHD10-220/01	8"	30	22	1627	990	637	191	250		122	47	169
NHD10-220/02-W8	8"	50	37	1924	1105	819	191	250		138	64	202
NHD10-220/02-W5	8"	60	45	2009	1190	819	191	250		154	64	218
NHD10-220/02	8"	60	45	2009	1190	819	191	250		154	64	218
NHD10-220/03-W8	8"	75	55	2276	1275	1001	191	250		172	80	252
NHD10-220/03-W5	8"	90	67	2356	1355	1001	191	250		188	80	268
NHD10-220/03	10"	100	75	2359	1330	1029	231	250		252	84	336
NHD10-220/04-W8	10"	100	75	2541	1330	1211	231	250		252	101	353
NHD10-220/04-W5	10"	110	81	2581	1370	1211	231	250		264	101	365
NHD10-220/04	10"	125	92	2641	1430	1211	231	250		280	101	381
NHD10-220/05-W8	10"	125	92	2823	1430	1393	231	250		280	117	397
NHD10-220/05-W5	10"	150	110	2923	1530	1393	231	250		304	117	421
NHD10-220/05	10"	175	129	3003	1610	1393	231	250		334	117	451
NHD10-220/06-W8	10"	150	110	3105	1530	1575	231	250		304	134	438
NHD10-220/06-W5	10"	175	129	3185	1610	1575	231	250		334	134	468
NHD10-220/06	10"	200	147	3315	1740	1575	231	250		370	134	504
NHD10-220/07-W8	10"	175	129	3367	1610	1757	231	250		334	150	484
NHD10-220/07-W5	10"	200	147	3497	1740	1757	231	250		370	150	520
NHD10-220/07	10"	225	166	3577	1820	1757	231	250		394	150	544
NHD10-220/08-W5	10"	225	166	3759	1820	1939	231	250		394	167	561
NHD10-220/08	10"	250	185	3759	1820	1939	231	250	408	167	575	
NHD10-220/09-W5	10"	250	185	3941	1820	2121	231	250	408	183	591	
NHD10-220/09	10"	300	225	3974	1853	2121	231	250	445	183	628	
NHD10-220/10-W5	10"	300	225	4156	1853	2303	231	250	445	199	644	
NHD10-220/10	10"	350	262	4156	1853	2303	231	250	445	199	644	
NHD10-220/11-W5	10"	300	225	4338	1853	2485	231	250	445	216	661	
NHD10-220/11	10"	350	262	4338	1853	2485	231	250	445	216	661	







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء								
	Type	KW	HP	m ³ /h	0	135	160	180	205	225	255	275
				lt/sn	0	37,5	44,4	50	56,9	62,5	70,8	76,4
NHD10-220/01-W8	6"	18,5	25	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس حيوية	36	30	29	27	24	22	18	15
NHD10-220/01-W5	6"-7"-8"	22	30		40	34	32	31	28	26	23	20
NHD10-220/01	6"-7"-8"	22	30		43	37	36	34	31	29	25	22
NHD10-220/02-W8	6"-7"-8"	37	50		71	61	57	54	49	44	36	30
NHD10-220/02-W5	7"-8"	45	60		80	67	64	61	57	52	45	39
NHD10-220/02	7"-8"	45	60		86	74	71	68	63	58	50	44
NHD10-220/03-W8	7"-8"	55	75		107	91	86	81	73	66	55	45
NHD10-220/03-W5	7"-8"	67	90		120	101	96	92	85	78	68	59
NHD10-220/03	8"-10"	75	100		129	111	107	102	94	87	75	66
NHD10-220/04-W8	8"-10"	75	100		143	122	115	107	97	88	73	60
NHD10-220/04-W5	8"-10"	81	110		160	134	128	122	113	104	90	78
NHD10-220/04	8"-10"	92	125		172	148	142	136	126	116	100	88
NHD10-220/05-W8	8"-10"	92	125		179	152	144	134	121	110	91	75
NHD10-220/05-W5	8"-10"	110	150		200	168	160	153	141	131	113	98
NHD10-220/05	10"	129	175		215	185	178	170	157	145	125	110
NHD10-220/06-W8	8"-10"	110	150		214	183	172	161	146	132	109	90
NHD10-220/06-W5	10"	129	175		240	201	192	183	170	157	135	117
NHD10-220/06	10"	147	200		258	222	213	204	189	174	150	132
NHD10-220/07-W8	10"	129	175		250	213	201	188	170	154	128	105
NHD10-220/07-W5	10"	147	200		280	235	224	214	198	183	158	137
NHD10-220/07	10"	166	225		301	259	249	238	220	203	175	154
NHD10-220/08-W5	10"	166	225		320	268	256	244	226	209	180	156
NHD10-220/08	10"	185	250		344	296	284	272	251	232	200	176
NHD10-220/09-W5	10"	185	250		360	302	288	275	254	235	203	176
NHD10-220/09	10"	225	300		387	333	320	306	283	261	225	198
NHD10-220/10-W5	10"	225	300		400	335	320	305	283	261	225	195
NHD10-220/10	10"	262	350		430	370	355	340	314	290	250	220
NHD10-220/11-W5	10"	225	300		440	369	352	336	311	287	248	215
NHD10-220/11	10"	262	350		473	407	391	374	346	319	275	242



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

10" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD10-220	3,4	5	7,8	11,8

NHD10 | 220 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD10-220	3,4	5	7,8	11,8



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD10-240/01-W11	6"	25	18,5	1642	1005	637	142	250	م ٥	78	46	124
NHD10-240/01-W6	8"	30	22	1627	990	637	191	250		122	46	168
NHD10-240/01	8"	40	30	1682	1045	637	191	250		130	46	176
NHD10-240/02-W11	8"	50	37	1924	1105	819	191	250		138	62	200
NHD10-240/02-W6	8"	60	45	2009	1190	819	191	250		154	62	216
NHD10-240/02	8"	75	55	2094	1275	819	191	250		172	62	234
NHD10-240/03-W11	8"	75	55	2276	1275	1001	191	250		172	78	250
NHD10-240/03-W6	8"	90	67	2384	1355	1029	191	250		188	82	270
NHD10-240/03	10"	125	92	2459	1430	1029	231	250		280	82	362
NHD10-240/04-W11	10"	100	75	2541	1330	1211	231	250		252	98	350
NHD10-240/04-W6	10"	125	92	2641	1430	1211	231	250		280	98	378
NHD10-240/04	10"	150	110	2741	1530	1211	231	250		304	98	402
NHD10-240/05-W11	10"	125	92	2823	1430	1393	231	250		280	113	393
NHD10-240/05-W6	10"	150	110	2923	1530	1393	231	250		304	113	417
NHD10-240/05	10"	200	147	3133	1740	1393	231	250		370	113	483
NHD10-240/06-W11	10"	150	110	3105	1530	1575	231	250		304	129	433
NHD10-240/06-W6	10"	200	147	3315	1740	1575	231	250		370	129	499
NHD10-240/06	10"	225	166	3395	1820	1575	231	250		394	129	523
NHD10-240/07-W11	10"	175	129	3367	1610	1757	231	250		334	144	478
NHD10-240/07-W6	10"	225	166	3577	1820	1757	231	250		394	144	538
NHD10-240/07	10"	300	225	3610	1853	1757	231	250	445	144	589	
NHD10-240/08-W6	10"	250	185	3759	1820	1939	231	250	408	160	568	
NHD10-240/08	10"	300	225	3792	1853	1939	231	250	445	160	605	
NHD10-240/09-W6	10"	300	225	3974	1853	2121	231	250	445	176	621	
NHD10-240/09	10"	350	262	3974	1853	2121	231	250	445	176	621	







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء										
	Type	KW	HP	m ³ /h	0	144	168	192	216	240	264	288	300	312
				lt/sn	0	40	46,7	53,3	60	66,7	73,3	80	83,3	86,7
NHD10-240/01-W11	6"	18,5	25	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس ديناميكية	33	29	28	27	25	23	21	18		
NHD10-240/01-W6	6"-7"-8"	22	30		36	33	32	31	29	26	24	21	20	
NHD10-240/01	6"-7"-8"	30	40		43	36	35	33	32	29	27	25	23	22
NHD10-240/02-W11	6"-7"-8"	37	50		65	58	56	54	51	47	41	35		
NHD10-240/02-W6	7"-8"	45	60		73	66	64	61	57	53	48	42	39	
NHD10-240/02	7"-8"	55	75		87	72	70	67	63	59	54	49	47	44
NHD10-240/03-W11	7"-8"	55	75		98	86	84	80	76	70	62	53		
NHD10-240/03-W6	7"-8"	67	90		109	99	96	92	86	79	72	63	59	
NHD10-240/03	8"-10"	92	125		130	108	104	100	95	88	82	74	70	66
NHD10-240/04-W11	8"-10"	75	100		131	115	112	107	101	93	83	71		
NHD10-240/04-W6	8"-10"	92	125		145	132	128	123	115	105	95	84	78	
NHD10-240/04	8"-10"	110	150		173	144	139	133	126	118	109	99	93	87
NHD10-240/05-W11	8"-10"	92	125		163	144	139	134	126	117	103	88		
NHD10-240/05-W6	8"-10"	110	150		182	165	160	153	143	132	119	105	98	
NHD10-240/05	10"	147	200		217	180	174	167	158	147	136	123	117	109
NHD10-240/06-W11	8"-10"	110	150		196	173	167	161	152	140	124	106		
NHD10-240/06-W6	10"	147	200		218	198	193	184	172	158	143	126	117	
NHD10-240/06	10"	167	225		260	216	209	200	189	177	163	148	140	131
NHD10-240/07-W11	10"	129	175		229	201	195	187	177	163	145	124		
NHD10-240/07-W6	10"	167	225		254	231	225	215	201	184	167	147	137	
NHD10-240/07	10"	225	300		303	252	243	233	221	206	191	173	163	153
NHD10-240/08-W6	10"	185	250		291	264	257	245	229	211	191	168	156	
NHD10-240/08	10"	225	300		347	288	278	267	252	236	218	197	187	175
NHD10-240/09-W6	10"	225	300		327	297	289	276	258	237	215	189	176	
NHD10-240/09	10"	262	350		390	324	313	300	284	265	245	222	210	197



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

10" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD10-240	3,4	5	7,8	11,8

NHD10 | 240 Series




WATERMOT®
Submersible Motors



NPSH (m)	25%	50%	75%	100%
NHD10-240	3,4	5	7,8	11,8



Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			A	B	C	D	E	Q	Motor Ağırlık Motor Weight Poids du moteur Peso del motor محرك الوزن	Pompa Ağırlık Pump Weight Poids de la pompe Peso de la bomba مضخة الوزن	Motor Pump Ağırlık Motor Pump Weight Poids du moteur de la pompe Peso de la bomba del motor مضخة محرك الوزن
	Inc	Hp	Kw	mm					Inc	Kg		
NHD10-280/01-W12	8"	35	26,5	1672	1035	637	191	250		126	47	173
NHD10-280/01-W5	8"	40	30	1682	1045	637	191	250		130	47	177
NHD10-280/01	8"	60	45	1827	1190	637	191	250		154	47	201
NHD10-280/02-W12	8"	75	55	2094	1275	819	191	250		172	63	235
NHD10-280/02-W5	8"	90	67	2174	1355	819	191	250		188	63	251
NHD10-280/02	8"	90	67	2202	1355	847	191	250		188	67	255
NHD10-280/03-W12	10"	100	75	2359	1330	1029	231	250		252	83	335
NHD10-280/03-W5	10"	125	92	2459	1430	1029	231	250		280	83	363
NHD10-280/03	10"	150	110	2559	1530	1029	231	250		304	83	387
NHD10-280/04-W12	10"	150	110	2741	1530	1211	231	250		304	99	403
NHD10-280/04-W5	10"	175	129	2821	1610	1211	231	250		334	99	433
NHD10-280/04	10"	175	129	2821	1610	1211	231	250		334	99	433
NHD10-280/05-W12	10"	175	129	3003	1610	1393	231	250		334	115	449
NHD10-280/05-W5	10"	200	147	3133	1740	1393	231	250		370	115	485
NHD10-280/05	10"	225	166	3213	1820	1393	231	250		394	115	509
NHD10-280/06-W12	10"	200	147	3315	1740	1575	231	250		370	131	501
NHD10-280/06-W5	10"	250	185	3395	1820	1575	231	250		408	131	539
NHD10-280/06	10"	300	225	3428	1853	1575	231	250		445	131	576
NHD10-280/07-W12	10"	250	185	3577	1820	1757	231	250		408	146	554
NHD10-280/07-W5	10"	300	225	3610	1853	1757	231	250		445	146	591
NHD10-280/07	10"	350	262	3610	1853	1757	231	250		445	146	591







Pompa Tipi Pump Type Type De Pompe Tipo De Bomba نوع المضخة	Motor Tipi Motor Type Type de moteur Tipo de motor نوع المحرك			Su Miktarı / Flow Rate Quantité d'eau / Caudal / كمية الماء									
	Type	KW	HP	m ³ /h	0	180	204	228	252	276	300	324	348
				lt/sn	0	50	56,7	63,3	70	76,7	83,3	90	96,7
NHD10-280/01-W12	6"-7"-8"	26,5	35	Basma Yüksekliği Total Dynamic Head Tete Dynamique Totale Cabeza Dinamica total إجمالي رأس حيوية	36	29	28	26	25	23	21	18	16
NHD10-280/01-W5	6"-7"-8"	30	40		41	34	32	31	30	28	26	24	20
NHD10-280/01	7"-8"	45	60		45	38	36	35	34	32	30	27	24
NHD10-280/02-W12	7"-8"	55	75		71	57	55	53	49	46	41	36	31
NHD10-280/02-W5	7"-8"	67	90		82	67	65	62	59	56	52	47	41
NHD10-280/02	7"-8"	67	90		90	75	73	70	67	64	60	55	49
NHD10-280/03-W12	8"-10"	75	100		107	86	83	79	74	69	62	54	47
NHD10-280/03-W5	8"-10"	92	125		123	101	97	93	89	83	78	71	61
NHD10-280/03	8"-10"	110	150		135	113	109	105	101	95	89	82	73
NHD10-280/04-W12	8"-10"	110	150		143	114	110	105	99	91	83	73	62
NHD10-280/04-W5	10"	129	175		164	134	130	124	118	111	104	94	81
NHD10-280/04	10"	129	175		181	150	146	140	134	127	119	110	98
NHD10-280/05-W12	10"	129	175		178	143	138	131	123	114	103	91	78
NHD10-280/05-W5	10"	147	200		205	168	162	155	148	139	129	118	101
NHD10-280/05	10"	167	225		226	188	182	175	168	159	149	137	122
NHD10-280/06-W12	10"	147	200		214	171	165	158	148	137	124	109	93
NHD10-280/06-W5	10"	185	250		246	201	194	186	177	167	155	141	122
NHD10-280/06	10"	225	300		271	225	218	210	201	191	179	164	146
NHD10-280/07-W12	10"	185	250		249	200	193	184	173	160	144	127	109
NHD10-280/07-W5	10"	185	300		287	235	227	217	207	194	181	165	142
NHD10-280/07	10"	262	350		316	263	255	245	235	222	208	192	171



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

10" 50Hz

**STAINLESS
CASTING PUMP**





NPSH (m)	25%	50%	75%	100%
NHD10-280	3,4	5	7,8	11,8

NHD10 | 280 Series



WATERMOT®
Submersible Motors




NPSH (m)	25%	50%	75%	100%
NHD10-280	3,4	5	7,8	11,8



nemutlu®
POMPA DÖKÜM MÜHENDİSLİK SAN.ve TİC. A.Ş.

STAINLESS CASTING PUMP



STEINLESS CASTING PUMP

MATERIAL LIST




WATERMOT®
Submersible Motors

PARÇA NO	PARÇA ADI	AISI-304 PUMP METARIAL LIST	AISI-316 PUMP METARIAL LIST
PART NO	PART NAME		
NU: DE LA PİECE	NOM DE LA PİECE		
N: IMAGEN	TITULO DE LA PIEZA		
رقم القطعة	اسم القطعة		
1	Üst Ç k ş Check out body	AISI-304	AISI-316
2	Klape Yay Check valve spring	AISI-302	AISI-316
3	Klape Check valve	AISI-304	AISI-316
4	Klape Lastiği Check valve Rubber	NBR	
5	Di zör (statör) Diffuser	AISI-304	AISI-316
6	Merkezleme Lastiği Rubber Bearing	NBR	
7	Pompa Mili Pump Shaft	AISI-304	AISI-316
8	Fan Impeller	AISI-304	AISI-316
9	Fan Konik Burcu Impeller Tapered collar	AISI-304	AISI-316
10	Fan Tespit Somunu Impeller Tapered collar nut	AISI-304	AISI-316
11	Fan Aş nma Lastiği Rubber Wear Ring	NBR	
12	Orink O-ring	NBR	
13	Emici Suction case	AISI-304	AISI-316
14	Emici mil lastiği Suction Case Rubber	NBR	
15	Segman Segment	AISI-304	AISI-316
16	Kaplin Coupling	AISI-304	AISI-316
17	Sabitleme Civatas Locking bolt	AISI-304	AISI-316
18	C vata Bolt	AISI-304	AISI-316
19	Kablo muhafaza Sac Cable Storage	AISI-304	AISI-316
20	Süzgeç (Filtre) Strainer	AISI-304	AISI-316
21	Conta Gasket	NBR	
22	Serbest Flanş Free Flange	AISI-304	AISI-316

STEINLESS CASTING PUMP





info@nemutlu.com.tr | www.nemutlu.com.tr
+90 332 345 40 50 | +90 332 345 27 70
Büyükayacak OSB Mah. 505 Nolu Sokak No:5
Selçuklu/KONYA/TÜRKİYE

